
irctk Documentation

Release 0.2.0

Kyle Fuller

Mar 27, 2021

Contents

1	Client	3
2	Message	5
3	Nick	7
4	Channel	9
5	Support	11
6	Numerics	13
6.1	RFC1459	13
7	Indices and tables	17
	Python Module Index	19
	Index	21

Contents:

CHAPTER 1

Client

```
class irctk.client.Client (nickname: str = 'irctk', ident: str = 'irctk', realname: str = 'irctk',  
                           password: str = None)
```

```
>>> client = Client(nickname='example')
```

channel_class

alias of `irctk.channel.Channel`

connect (host: str, port: int, use_tls: bool = False, loop=None)

Connect to the IRC server

irc_equal (lhs: str, rhs: str) → bool

Determine if two strings are IRC equal.

quit (message: str = 'Disconnected')

Disconnects from IRC and closes the connection. Accepts an optional reason.

send (message_or_command, *parameters, colon: bool = False)

Send an IRC message

```
>>> client.send('JOIN', '#example')
```

send_join (channel, key: str = None)

Sends a JOIN channel command.

```
>>> client.send_join('#palaver')
```

send_line (line: str)

Sends a raw line to IRC

Example:

```
>>> client.send_line('PRIVMSG kylef :Hey!')
```

send_part (channel)

Sends a PART channel command.

```
>>> client.send_part('#palaver')
```

send_privmsg (*target, message: str*)

Sends a private message to a target.

Example:

```
>>> client.send_privmsg('kyle', 'Hi')
>>> client.send_privmsg(channel, 'Hi')
```


CHAPTER 2

Message

```
class ircdk.message.Message (tags: List[ircdk.message.MessageTag] = None, prefix: str = None,
                             command: str = "", parameters: List[str] = None)
```

get (index: int) → Optional[str]
Returns a parameter at index or None

```
>>> message = Message.parse('JOIN #example')
>>> message.get(0)
'#example'
>>> message.get(1)
```

classmethod parse (string: str)
Parse an IRC line into a Message instance

```
>>> message = Message.parse(':doe!doe@example.com PRIVMSG #example :Hello_
↳World')
>>> message.prefix
'doe!doe@example.com'
>>> message.command
'PRIVMSG'
>>> message.parameters
['#example', 'Hello World']
```

```
class ircdk.message.MessageTag (vendor: str = None, name: str = None, value: str = None)
```


CHAPTER 3

Nick

```
class irctk.nick.Nick (nick: str = "", ident: Optional[str] = "", host: Optional[str] = "")
```


CHAPTER 4

Channel

```
class irctk.channel.Channel (name: str)
```

Represents a channel

```
class irctk.channel.Membership (nick: irctk.nick.Nick, modes: List[str] = None)
```

Represents a nick membership inside a channel.

```
    has_mode (perm: str) → bool
```

Checks if the membership contains a user mode

```
    >>> membership.has_mode('o')
```


class `irctk.isupport.ISupport`

case_mapping

Returns the case mapping.

Example:

```
>>> support.case_mapping
'rfc1459'
```

channel_prefixes

Returns a list of channel prefixes.

Example:

```
>>> support.channel_prefixes
['#', '&']
```

is_channel (*channel_name*) → bool

Returns True if supplied channel name is a valid channel name.

Example:

```
>>> support.is_channel('#darkscience')
True

>>> support.is_channel('kylef')
False
```

maximum_channel_length

Returns the maximum length of a channel name.

Example:

```
>>> support.maximum_channel_length
200
```

maximum_nick_length

Returns the maximum length of a nickname.

Example:

```
>>> support.maximum_nick_length
9
```


6.1 RFC1459

6.1.1 Error Replies

```
irctk.numerics.ERR_NOSUCHNICK = 401
irctk.numerics.ERR_NOSUCHSERVER = 402
irctk.numerics.ERR_NOSUCHCHANNEL = 403
irctk.numerics.ERR_CANNOTSENDTOCHAN = 404
irctk.numerics.ERR_TOOMANYCHANNELS = 405
irctk.numerics.ERR_WASNOSUCHNICK = 406
irctk.numerics.ERR_TOOMANYTARGETS = 407
irctk.numerics.ERR_NOORIGIN = 409
irctk.numerics.ERR_NORECIPIENT = 411
irctk.numerics.ERR_NOTEXTTOSEND = 412
irctk.numerics.ERR_NOTOPLEVEL = 413
irctk.numerics.ERR_WILDTOPLEVEL = 414
irctk.numerics.ERR_UNKNOWNCOMMAND = 421
irctk.numerics.ERR_NOMOTD = 422
irctk.numerics.ERR_NOADMININFO = 423
irctk.numerics.ERR_FILEERROR = 424
irctk.numerics.ERR_NONICKNAMEGIVEN = 431
irctk.numerics.ERR_ERRONEUSNICKNAME = 432
```

```

irctk.numerics.ERR_NICKNAMEINUSE = 433
irctk.numerics.ERR_NICKCOLLISION = 436
irctk.numerics.ERR_USERNOTINCHANNEL = 441
irctk.numerics.ERR_NOTONCHANNEL = 442
irctk.numerics.ERR_USERONCHANNEL = 443
irctk.numerics.ERR_NOLOGIN = 444
irctk.numerics.ERR_SUMMONDISABLED = 445
irctk.numerics.ERR_USERSDISABLED = 446
irctk.numerics.ERR_NOTREGISTERED = 451
irctk.numerics.ERR_NEEDMOREPARAMS = 461
irctk.numerics.ERR_ALREADYREGISTRED = 462
irctk.numerics.ERR_NOPERMFORHOST = 463
irctk.numerics.ERR_PASSWDMISMATCH = 464
irctk.numerics.ERR_YOUREBANNEDCREEP = 465
irctk.numerics.ERR_KEYSET = 467
irctk.numerics.ERR_CHANNELISFULL = 471
irctk.numerics.ERR_UNKNOWNMODE = 472
irctk.numerics.ERR_INVITEONLYCHAN = 473
irctk.numerics.ERR_BANNEDFROMCHAN = 474
irctk.numerics.ERR_BADCHANNELKEY = 475
irctk.numerics.ERR_NOPRIVILEGES = 481
irctk.numerics.ERR_CHANOPRIVSNEEDED = 482
irctk.numerics.ERR_CANTKILLSERVER = 483
irctk.numerics.ERR_NOOPERHOST = 491
irctk.numerics.ERR_UMODEUNKNOWNFLAG = 501
irctk.numerics.ERR_USERSDONTMATCH = 502

```

6.1.2 Command Responses

```

irctk.numerics.RPL_NONE = 300
irctk.numerics.RPL_USERHOST = 302
irctk.numerics.RPL_ISON = 303
irctk.numerics.RPL_AWAY = 301
irctk.numerics.RPL_UNAWAY = 305
irctk.numerics.RPL_NOWAWAY = 306
irctk.numerics.RPL_WHOSUSER = 311
irctk.numerics.RPL_WHOSSERVER = 312

```

```
irctk.numerics.RPL_WHOSOPERATOR = 313
irctk.numerics.RPL_WHOSIDLE = 317
irctk.numerics.RPL_ENDOFWHOIS = 318
irctk.numerics.RPL_WHOSCHANNELS = 319
irctk.numerics.RPL_WHOWASUSER = 314
irctk.numerics.RPL_ENDOFWHOWAS = 369
irctk.numerics.RPL_LISTSTART = 321
irctk.numerics.RPL_LIST = 322
irctk.numerics.RPL_LISTEND = 323
irctk.numerics.RPL_CHANNELMODEIS = 324
irctk.numerics.RPL_NOTOPIC = 331
irctk.numerics.RPL_TOPIC = 332
irctk.numerics.RPL_INVITING = 341
irctk.numerics.RPL_SUMMONING = 342
irctk.numerics.RPL_VERSION = 351
irctk.numerics.RPL_WHOOREPLY = 352
irctk.numerics.RPL_ENDOFWHO = 315
irctk.numerics.RPL_NAMREPLY = 353
irctk.numerics.RPL_ENDOFNAMES = 366
irctk.numerics.RPL_LINKS = 364
irctk.numerics.RPL_ENDOFLINKS = 365
irctk.numerics.RPL_BANLIST = 367
irctk.numerics.RPL_ENDOFBANLIST = 368
irctk.numerics.RPL_INFO = 371
irctk.numerics.RPL_ENDOFINFO = 374
irctk.numerics.RPL_MOTDSTART = 375
irctk.numerics.RPL_MOTD = 372
irctk.numerics.RPL_ENDOFMOTD = 376
irctk.numerics.RPL_YOUREOPER = 381
irctk.numerics.RPL_REHASHING = 382
irctk.numerics.RPL_TIME = 391
irctk.numerics.RPL_USERSSTART = 392
irctk.numerics.RPL_USERS = 393
irctk.numerics.RPL_ENDOFUSERS = 394
irctk.numerics.RPL_NOUSERS = 395
irctk.numerics.RPL_TRACELINK = 200
```

irctk.numerics.RPL_TRACECONNECTING = 201
irctk.numerics.RPL_TRACEHANDSHAKE = 202
irctk.numerics.RPL_TRACEUNKNOWN = 203
irctk.numerics.RPL_TRACEOPERATOR = 204
irctk.numerics.RPL_TRACEUSER = 205
irctk.numerics.RPL_TRACESERVER = 206
irctk.numerics.RPL_TRACENEWTYPE = 208
irctk.numerics.RPL_TRACELOG = 261
irctk.numerics.RPL_STATSLINKINFO = 211
irctk.numerics.RPL_STATSCOMMANDS = 212
irctk.numerics.RPL_STATSCLINE = 213
irctk.numerics.RPL_STATSNLINE = 214
irctk.numerics.RPL_STATSILINE = 215
irctk.numerics.RPL_STATSKLINE = 216
irctk.numerics.RPL_STATSYLINE = 218
irctk.numerics.RPL_ENDOFSTATS = 219
irctk.numerics.RPL_STATSLLINE = 241
irctk.numerics.RPL_STATSUPTIME = 242
irctk.numerics.RPL_STATSOLINE = 243
irctk.numerics.RPL_STATSHLINE = 244
irctk.numerics.RPL_UMODEIS = 221
irctk.numerics.RPL_LUSERCLIENT = 251
irctk.numerics.RPL_LUSEROP = 252
irctk.numerics.RPL_LUSERUNKNOWN = 253
irctk.numerics.RPL_LUSERCHANNELS = 254
irctk.numerics.RPL_LUSERME = 255
irctk.numerics.RPL_ADMINME = 256
irctk.numerics.RPL_ADMINLOC1 = 257
irctk.numerics.RPL_ADMINLOC2 = 258
irctk.numerics.RPL_ADMINEMAIL = 259

CHAPTER 7

Indices and tables

- `genindex`
- `modindex`
- `search`

i

- `irctk.channel`, 9
- `irctk.client`, 3
- `irctk.isupport`, 11
- `irctk.message`, 5
- `irctk.nick`, 7
- `irctk.numerics`, 14

C

case_mapping (*irctk.isupport.ISupport attribute*), 11
Channel (*class in irctk.channel*), 9
channel_class (*irctk.client.Client attribute*), 3
channel_prefixes (*irctk.isupport.ISupport attribute*), 11
Client (*class in irctk.client*), 3
connect () (*irctk.client.Client method*), 3

E

ERR_ALREADYREGISTRED (*in module irctk.numerics*), 14
ERR_BADCHANNELKEY (*in module irctk.numerics*), 14
ERR_BANNEDFROMCHAN (*in module irctk.numerics*), 14
ERR_CANNOTSENDTOCHAN (*in module irctk.numerics*), 13
ERR_CANTKILLSERVER (*in module irctk.numerics*), 14
ERR_CHANNELISFULL (*in module irctk.numerics*), 14
ERR_CHANOPRIVSNEEDED (*in module irctk.numerics*), 14
ERR_ERRONEUSNICKNAME (*in module irctk.numerics*), 13
ERR_FILEERROR (*in module irctk.numerics*), 13
ERR_INVITEONLYCHAN (*in module irctk.numerics*), 14
ERR_KEYSET (*in module irctk.numerics*), 14
ERR_NEEDMOREPARAMS (*in module irctk.numerics*), 14
ERR_NICKCOLLISION (*in module irctk.numerics*), 14
ERR_NICKNAMEINUSE (*in module irctk.numerics*), 13
ERR_NOADMININFO (*in module irctk.numerics*), 13
ERR_NOLOGIN (*in module irctk.numerics*), 14
ERR_NOMOTD (*in module irctk.numerics*), 13
ERR_NONICKNAMEGIVEN (*in module irctk.numerics*), 13
ERR_NOOPERHOST (*in module irctk.numerics*), 14
ERR_NOORIGIN (*in module irctk.numerics*), 13
ERR_NOPERMFORHOST (*in module irctk.numerics*), 14
ERR_NOPRIVILEGES (*in module irctk.numerics*), 14
ERR_NORECIPIENT (*in module irctk.numerics*), 13
ERR_NOSUCHCHANNEL (*in module irctk.numerics*), 13

ERR_NOSUCHNICK (*in module irctk.numerics*), 13
ERR_NOSUCHSERVER (*in module irctk.numerics*), 13
ERR_NOTEXTTOSEND (*in module irctk.numerics*), 13
ERR_NOTONCHANNEL (*in module irctk.numerics*), 14
ERR_NOTOPLEVEL (*in module irctk.numerics*), 13
ERR_NOTREGISTERED (*in module irctk.numerics*), 14
ERR_PASSWDMISMATCH (*in module irctk.numerics*), 14
ERR_SUMMONDISABLED (*in module irctk.numerics*), 14
ERR_TOOMANYCHANNELS (*in module irctk.numerics*), 13
ERR_TOOMANYTARGETS (*in module irctk.numerics*), 13
ERR_UMODEUNKNOWNFLAG (*in module irctk.numerics*), 14
ERR_UNKNOWNCOMMAND (*in module irctk.numerics*), 13
ERR_UNKNOWNMODE (*in module irctk.numerics*), 14
ERR_USERNOTINCHANNEL (*in module irctk.numerics*), 14
ERR_USERONCHANNEL (*in module irctk.numerics*), 14
ERR_USERSDISABLED (*in module irctk.numerics*), 14
ERR_USERSDONTMATCH (*in module irctk.numerics*), 14
ERR_WASNOSUCHNICK (*in module irctk.numerics*), 13
ERR_WILDTOPLEVEL (*in module irctk.numerics*), 13
ERR_YOUREBANNEDCREEP (*in module irctk.numerics*), 14

G

get () (*irctk.message.Message method*), 5

H

has_mode () (*irctk.channel.Membership method*), 9

I

irc_equal () (*irctk.client.Client method*), 3
irctk.channel (*module*), 9
irctk.client (*module*), 3
irctk.isupport (*module*), 11
irctk.message (*module*), 5
irctk.nick (*module*), 7
irctk.numerics (*module*), 13, 14

`is_channel()` (*irctk.isupport.ISupport method*), 11
`ISupport` (class in *irctk.isupport*), 11

M

`maximum_channel_length` (*irctk.isupport.ISupport attribute*), 11
`maximum_nick_length` (*irctk.isupport.ISupport attribute*), 12
`Membership` (class in *irctk.channel*), 9
`Message` (class in *irctk.message*), 5
`MessageTag` (class in *irctk.message*), 5

N

`Nick` (class in *irctk.nick*), 7

P

`parse()` (*irctk.message.Message class method*), 5

Q

`quit()` (*irctk.client.Client method*), 3

R

`RPL_ADMINEMAIL` (in module *irctk.numerics*), 16
`RPL_ADMINLOC1` (in module *irctk.numerics*), 16
`RPL_ADMINLOC2` (in module *irctk.numerics*), 16
`RPL_ADMINME` (in module *irctk.numerics*), 16
`RPL_AWAY` (in module *irctk.numerics*), 14
`RPL_BANLIST` (in module *irctk.numerics*), 15
`RPL_CHANNELMODEIS` (in module *irctk.numerics*), 15
`RPL_ENDOFBANLIST` (in module *irctk.numerics*), 15
`RPL_ENDOFINFO` (in module *irctk.numerics*), 15
`RPL_ENDOFLINKS` (in module *irctk.numerics*), 15
`RPL_ENDOFMOTD` (in module *irctk.numerics*), 15
`RPL_ENDOFNAMES` (in module *irctk.numerics*), 15
`RPL_ENDOFSTATS` (in module *irctk.numerics*), 16
`RPL_ENDOFUSERS` (in module *irctk.numerics*), 15
`RPL_ENDOFWHO` (in module *irctk.numerics*), 15
`RPL_ENDOFWHOIS` (in module *irctk.numerics*), 15
`RPL_ENDOFWHOWAS` (in module *irctk.numerics*), 15
`RPL_INFO` (in module *irctk.numerics*), 15
`RPL_INVITING` (in module *irctk.numerics*), 15
`RPL_ISON` (in module *irctk.numerics*), 14
`RPL_LINKS` (in module *irctk.numerics*), 15
`RPL_LIST` (in module *irctk.numerics*), 15
`RPL_LISTEND` (in module *irctk.numerics*), 15
`RPL_LISTSTART` (in module *irctk.numerics*), 15
`RPL_LUSERCHANNELS` (in module *irctk.numerics*), 16
`RPL_LUSERCLIENT` (in module *irctk.numerics*), 16
`RPL_LUSERME` (in module *irctk.numerics*), 16
`RPL_LUSEROP` (in module *irctk.numerics*), 16
`RPL_LUSERUNKNOWN` (in module *irctk.numerics*), 16
`RPL_MOTD` (in module *irctk.numerics*), 15
`RPL_MOTDSTART` (in module *irctk.numerics*), 15

`RPL_NAMREPLY` (in module *irctk.numerics*), 15
`RPL_NONE` (in module *irctk.numerics*), 14
`RPL_NOTOPIC` (in module *irctk.numerics*), 15
`RPL_NOUSERS` (in module *irctk.numerics*), 15
`RPL_NOWAY` (in module *irctk.numerics*), 14
`RPL_REHASHING` (in module *irctk.numerics*), 15
`RPL_STATSCLINE` (in module *irctk.numerics*), 16
`RPL_STATSCOMMANDS` (in module *irctk.numerics*), 16
`RPL_STATSHLINE` (in module *irctk.numerics*), 16
`RPL_STATSILINE` (in module *irctk.numerics*), 16
`RPL_STATSKLINE` (in module *irctk.numerics*), 16
`RPL_STATSLINKINFO` (in module *irctk.numerics*), 16
`RPL_STATSLLINE` (in module *irctk.numerics*), 16
`RPL_STATSNLN` (in module *irctk.numerics*), 16
`RPL_STATSOLN` (in module *irctk.numerics*), 16
`RPL_STATSUPTIME` (in module *irctk.numerics*), 16
`RPL_STATSYLINE` (in module *irctk.numerics*), 16
`RPL_SUMMONING` (in module *irctk.numerics*), 15
`RPL_TIME` (in module *irctk.numerics*), 15
`RPL_TOPIC` (in module *irctk.numerics*), 15
`RPL_TRACECONNECTING` (in module *irctk.numerics*), 15
`RPL_TRACEHANDSHAKE` (in module *irctk.numerics*), 16
`RPL_TRACELINK` (in module *irctk.numerics*), 15
`RPL_TRACELOG` (in module *irctk.numerics*), 16
`RPL_TRACENEWTYPE` (in module *irctk.numerics*), 16
`RPL_TRACEOPERATOR` (in module *irctk.numerics*), 16
`RPL_TRACESERVER` (in module *irctk.numerics*), 16
`RPL_TRACEUNKNOWN` (in module *irctk.numerics*), 16
`RPL_TRACEUSER` (in module *irctk.numerics*), 16
`RPL_UMODEIS` (in module *irctk.numerics*), 16
`RPL_UNAWAY` (in module *irctk.numerics*), 14
`RPL_USERHOST` (in module *irctk.numerics*), 14
`RPL_USERS` (in module *irctk.numerics*), 15
`RPL_USERSSTART` (in module *irctk.numerics*), 15
`RPL_VERSION` (in module *irctk.numerics*), 15
`RPL_WHOSCHANNELS` (in module *irctk.numerics*), 15
`RPL_WHOSIDLE` (in module *irctk.numerics*), 15
`RPL_WHOSISOPERATOR` (in module *irctk.numerics*), 14
`RPL_WHOSISSERVER` (in module *irctk.numerics*), 14
`RPL_WHOSISUSER` (in module *irctk.numerics*), 14
`RPL_WHOREPLY` (in module *irctk.numerics*), 15
`RPL_WHOWASUSER` (in module *irctk.numerics*), 15
`RPL_YOUREOPER` (in module *irctk.numerics*), 15

S

`send()` (*irctk.client.Client method*), 3
`send_join()` (*irctk.client.Client method*), 3
`send_line()` (*irctk.client.Client method*), 3
`send_part()` (*irctk.client.Client method*), 3
`send_privmsg()` (*irctk.client.Client method*), 4